

L Number	Hits	Search Text	DB	Time stamp
-	18	pharmacopoeia	USPAT	2003/07/31 15:11
-	54154	syringe	USPAT	2003/07/31 15:12
-	4846	syringe and olefin	USPAT	2003/07/31 15:13
-	3424	(syringe and olefin) and ethylene	USPAT	2003/07/31 15:14
-	631	((syringe and olefin) and ethylene) and elastomer	USPAT	2003/07/31 15:14
-	66	((syringe and olefin) and ethylene) and elastomer) and steril\$4	USPAT	2003/07/31 15:15
-	584	halobutyl	USPAT	2003/08/01 13:25
-	3353	chlorobutyl	USPAT	2003/08/01 13:33
-	135	halobutyl same chlorobutyl	USPAT	2003/08/01 13:26
-	3	(halobutyl same chlorobutyl) and syringe	USPAT	2003/08/01 13:26
-	330	chlorobutyl and syringe	USPAT	2003/08/01 13:34
-	9	(chlorobutyl and syringe) and halobutyl	USPAT	2003/08/01 13:38
-	10185	norbornene	USPAT	2003/08/01 13:38
-	1926	heat adj1 deflection	USPAT	2003/08/01 13:38
-	144	norbornene and (heat adj1 deflection)	USPAT	2003/08/01 13:39
-	18	(norbornene and (heat adj1 deflection)) and syringe	USPAT	2003/08/01 13:39
-	2712	cyclic adj1 olefin	USPAT	2004/02/02 14:32
-	808	(cyclic adj1 olefin) same norbornene	USPAT	2004/02/02 14:33
-	147	((cyclic adj1 olefin) same norbornene) and syringe	USPAT	2004/02/02 14:37
-	398	((cyclic adj1 olefin) same norbornene) same ethylene	USPAT	2004/02/02 14:38
-	62	((cyclic adj1 olefin) same norbornene) same ethylene) and syringe	USPAT	2004/02/02 14:39
-	62933	electron adj1 beam	USPAT	2004/02/02 17:23
-	539	(electron adj1 beam) same steriliz\$4	USPAT	2004/02/02 17:24
-	333	((electron adj1 beam) same steriliz\$4) same radiation	USPAT	2004/02/02 17:24
-	216	((electron adj1 beam) same steriliz\$4) same radiation) same gamma	USPAT	2004/02/02 17:24
-	18	((electron adj1 beam) same steriliz\$4) same radiation) same gamma) same ultra\$6	USPAT	2004/02/02 17:25
-	2712	cyclic adj1 olefin	USPAT	2004/02/02 17:56
-	340	(cyclic adj1 olefin) same polyolefin	USPAT	2004/02/02 17:56
-	54	((cyclic adj1 olefin) same polyolefin) same norbornene	USPAT	2004/02/02 17:56
-	2084	fill\$3 adj1 syringe	USPAT	2004/02/03 08:31
-	426	(fill\$3 adj1 syringe) same steril\$6	USPAT	2004/02/03 08:32
-	91	((fill\$3 adj1 syringe) same steril\$6) and radiat\$3	USPAT	2004/02/03 11:28
-	130307	steril\$6	USPAT	2004/02/03 11:28
-	7786	steril\$6 same syringe	USPAT	2004/02/03 11:28
-	20	(steril\$6 same syringe) same (electron adj1 beam)	USPAT	2004/02/03 11:34
-	27	(steril\$6 same syringe) same (clean adj1 room)	USPAT	2004/02/03 11:35
-	1	(steril\$6 same syringe) same (cleanroom)	USPAT	2004/02/03 11:35
-	27	(steril\$6 same syringe) same (clean\$3 adj1 room)	USPAT	2004/02/03 11:35
-	28	((steril\$6 same syringe) same (clean adj1 room)) ((steril\$6 same syringe) same (cleanroom)) ((steril\$6 same syringe) same (clean\$3 adj1 room))	USPAT	2004/02/03 11:39
-	327	(steril\$6 same syringe) same aseptic	USPAT	2004/02/03 11:40
-	195	((steril\$6 same syringe) same aseptic) same fill\$3	USPAT	2004/02/03 12:10